

2019

		(
		40 (
		/-1 (
		(
		3 -3 (
		(
		1/0 0 0 1/0 01 20

2019

2019

12) (2017 1999 52. 893896

()

2019

5

()

+

2019

2

2018

17

1/0		-1	1/0 / 03	1/0 / 04	.. - - - (
1/0		- 0	1/0 01 12	1/0 01 13	.. - - - (

97 2019

74

2019

2018

2019

2019

2019

4

100%

()

100%

2019

2019

160

2

6

6

()

1094

3750

2019

2019

2019

,

+

20

()

1800

80%

2019 6.36%
()

EVI

•


2228 EVI 33

89% 2019

17

+

26 69 68



20

,

60 / 14 2019 2# 1# SCR

7 25 / 200

3# + SCR

2019 2 1

11

1

4

3

2017 9

2019 4

([2019]465) 2019 4

2019

2019 7 17

,

2019

()

11

()

()

2019

1288

100%

2019

2019

2016

2019

4

(<http://www.sggf.com.cn>)

2018

+

540

2019

4

300

1.1

6.3

2019

9

300

810

2019

85.57

30

101

2.26

31510

CO₂

78568

SO₂

477

()2019

6.39

400

2.49

1.5

()2020

2020

2020

		31	0" 1" 1 2//	1/ . 2 2/ . 2 / . 2 / . 2 . 2 . 2 . 2 . 2 1/ . 2 2/ . 2	2/ . 2 2/ . 2 / . 2 / . 2 24 . 2 4/ . 2 4/ / . 2 4/ . 2 . 2 24 . 2 4/ . 2	0/1/	41/ -4
		2	2// ,	0" 1" 1 1" 04/ . 2 04/ . 2 1// . 2 , . 2 . 2	0// . 2 4/ . 2 0" 1" 1" 2// . 2 0" 2// . 2 3// . 2 , 4/ . 2 04/ . 2	32 4	00 -4

			0" 0" 1" 1" 2"	2 . 2	1" 0" 1/ 3- 0 0 . 2 0" 1" 2" 0/ . 2
			0" 0" 1" 1" 2"	1" 14, / . 2 1/, 4 . 2 1" 1/, 3/ . 2 0" 2" 1/, 4 . 2	0" 0" 0// 4/- 1/ 03 -0 3 . 2 0" 1" 2" / . 2
	0/		0" 1" 2"	0" 1" 1, . 2 /-4, 4 . 2 0" 1" 2" 1, 3 . 2	0" 1" 0" 1" 2" 4 . 2 -2 3 0 - 4